




SNL Plummer Block Housings

Designation Chart

Prefix & Suffix 前缀与后缀



Why NIS RHINO? 为什么犀牛?

Design Characteristic 设计特点

Simpler mounting
安装简易



Ready for lubrication
方便注脂



Improved heat conduction
更好的散热性能





NISTM 
Fully Checked And Ready To Roll




Shaft Diameter 轴径	Housing No. 轴承座型号	Bearing No.		Adaptor Sleeve 紧定套	Sealing Arrangement* TSN-G 密封件	End Cover 端盖	Locating Ring	
		Self-Aligning 自动调心球轴承	Spherical Roller 球面滚子轴承				Part No. 定位环	Qty. 数量
mm								
20	SNL 505	1205K	22205K	H 205	TSN 505 G	ASNH 505	FRB 5x52	2
	SNL 505	2205K		H 305	TSN 505 G	ASNH 505	FRB 3.5x52	2
25	SNL 506-605	1206K	22206K	H 206	TSN 506 G	ASNH 506-605	FRB 8x62	2
	SNL 506-605	2206K		H 306	TSN 506 G	ASNH 506-605	FRB 6x62	2
30	SNL 507-606	1207K	22207K	H 207	TSN 507 G	ASNH 507-606	FRB 8.5x72	2
	SNL 507-606	2207K		H 307	TSN 507 G	ASNH 507-606	FRB 5.5x72	2
35	SNL 508-607	1208K	22208K	H 208	TSN 508 G	ASNH 508-607	FRB 10.5x80	2
	SNL 508-607	2208K		H 308	TSN 508 G	ASNH 508-607	FRB 8x80	2
40	SNL 509	1209K	22209K	H 209	TSN 509 G	ASNH 509	FRB 5.5x85	2
	SNL 509	2209K		H 309	TSN 509 G	ASNH 509	FRB 3.5x85	2
45	SNL 510-608	1210K	22210K	H 210	TSN 510 G	ASNH 510-608	FRB 10.5x90	2
	SNL 510-608	2210K		H 310	TSN 510 G	ASNH 510-608	FRB 9x90	2
50	SNL 511-609	1211K	22211K	H 211	TSN 511 G	ASNH 511-609	FRB 11.5X100	2
	SNL 511-609	2211K		H 311	TSN 511 G	ASNH 511-609	FRB 9.5X100	2
55	SNL 512-610	1212K	22212K	H 212	TSN 512 G	ASNH 512-610	FRB 13X110	2
	SNL 512-610	2212K		H 312	TSN 512 G	ASNH 512-610	FRB 10X110	2
60	SNL 513-611	1213K	22213K	H 213	TSN 513 G	ASNH 513-611	FRB 14X120	2
	SNL 513-611	2213K		H 313	TSN 513 G	ASNH 513-611	FRB 10X120	2
65	SNL 515-612	1215K	22215K	H 215	TSN 515 G	ASNH 515-612	FRB 15.5X130	2
	SNL 515-612	2215K		H 315	TSN 515G	ASNH 515-612	FRB 12.5X130	2
70	SNL 516-613	1216K	22216K	H 216	TSN 516 G	ASNH 516-613	FRB 16x140	2
	SNL 516-613	2216K		H 316	TSN 516 G	ASNH 516-613	FRB 12.5x140	2



Shaft Diameter 轴径	Housing No. 轴承座型号	Bearing No.		Adaptor Sleeve 紧定套	Sealing Arrangement* TSN-G 密封件	End Cover 端盖	Locating Ring	
		Self-Aligning 自动调心球轴承	Spherical Roller 球面滚子轴承				Part No. 定位环	Qty. 数量
mm								
75	SNL 517	1217K		H217	TSN 517 G	ASNH 517	FRB 16.5x150	2
	SNL 517	2217K	22217K	H 317	TSN 517 G	ASNH 517	FRB 12.5x150	2
80	SNL 518-615	1218K		H218	TSN 518 G	ASNH 518-615	FRB 17.5x160	2
	SNL 518-615	2218K	22218K	H 318	TSN 518 G	ASNH 518-615	FRB 12.5x160	2
	SNL 518-615		23218K	H 2318	TSN 518 G	ASNH 518-615	FRB 6.25x160	2
85	SNL 519-616	1219K		H 219	TSN 519 G	ASNH 519-616	FRB 18x170	2
	SNL 519-616	2219K	22219K	H 319	TSN 519 G	ASNH 519-616	FRB 12.5x170	2
90	SNL 520-617	1220K		H 220	TSN 520 G	ASNH 520-617	FRB 18x180	2
	SNL 520-617	2220K	22220K	H 320	TSN 520 G	ASNH 520-617	FRB 12x180	2
	SNL 520-617		23220K	H 2320	TSN 520 G	ASNH 520-617	FRB 4.85x180	2
100	SNL 522-619	1222K		H 222	TSN 522 G	ASNH 522-619	FRB 21x200	2
	SNL 522-619	2222K	22222K	H 322	TSN 522 G	ASNH 522-619	FRB 13.5x200	2
	SNL 522-619		23222K	H 2322	TSN 522 G	ASNH 522-619	FRB 5.1x200	2
110	SNL 524-620	1224K		H 3024	TSN 524 G	ASNH 524-620	FRB 22x215	2
	SNL 524-620		22224K	H 3124	TSN 524 G	ASNH 524-620	FRB 14x215	2
	SNL 524-620		23224K	H 2324	TSN 524 G	ASNH 524-620	FRB 5x215	2
115	SNL 526		22226K	H 3126	TSN 526 G	ASNH 526	FRB 13x230	2
	SNL 526		23226K	H 2326	TSN 526 G	ASNH 526	FRB 5x230	2
125	SNL 528		22228K	H 3128	TSN 528 G	ASNH 528	FRB 15x250	2
	SNL 528		23228K	H 2328	TSN 528 G	ASNH 528	FRB 5x250	2
135	SNL 530		22230K	H 3130	TSN 530 G	ASNH 530	FRB 16.5x270	2
	SNL 530		23230K	H 2330	TSN 530 G	ASNH 530	FRB 5x270	2
140	SNL 532		22232K	H 3132	TSN 532 G	ASNH 532	FRB 17x290	2
	SNL 532		23232K	H 2332	TSN 532 G	ASNH 532	FRB 5x290	2

SNL Plummer Block Housings





Housing Dimension Data

Housing Designation 轴承座型号 *	Shaft Diameter 轴径 da	Housing Width 轴承座宽度 Ax	Base Width 轴承座基座宽度 A1	Housing Height 轴承座高度 H	Center Height 轴承座内孔中心高度 H1	Base Height 轴承座底座高度 H2
	mm	mm	mm	mm	mm	mm
SNL 505	20	67	46	74	40	19
SNL 506	25	77	52	89	50	22
SNL 507	30	82	52	93	50	22
SNL 508	35	85	60	108	60	25
SNL 509	40	85	60	109	60	25
SNL 510	45	90	60	113	60	25
SNL 511	50	95	70	128	70	28
SNL 512	55	105	70	134	70	30
SNL 513	60	110	80	149	80	30
SNL 515	65	115	80	155	80	30
SNL 516	70	120	90	177	95	32
SNL 517	75	125	90	183	95	32
SNL 518	80	140	100	194	100	35
SNL 519	85	145	100	212	112	35
SNL 520	90	160	110	218	112	40
SNL 522	100	175	120	242	125	45
SNL 524	110	185	120	271	140	45
SNL 526	115	190	130	290	150	50
SNL 528	125	205	150	302	150	50
SNL 530	135	220	160	323	160	60
SNL 532	140	235	160	344	170	60

* Standard sealing arrangement supplied will be TSN..G which is denoted by SNL..TG

* 标准提供的密封件将是 TSN..G, 型号为 SNL..TG



Bolt to Bolt Length 轴承座安装孔间距	Base Length 轴承座总长度	Bolt Length 安装孔长度	Bolt Width 安装孔宽度	Bolt Diameter 安装孔直径	Sitting Width 轴承座腔体宽度	Inner Diameter 轴承座内孔直径	Weight 重量
J	L	N	N1	G	Ca	Da	
mm	mm	mm	mm	mm	mm	mm	kg
130	165	20	15	12	25	52	1.45
150	185	20	15	12	32	62	2.00
150	185	20	15	12	34	72	2.20
170	205	20	15	12	39	80	2.90
170	205	20	15	12	30	85	2.90
170	205	20	15	12	41	90	3.20
210	255	24	18	16	44	100	4.40
210	255	24	18	16	48	110	5.10
230	275	24	18	16	51	120	6.50
230	280	24	18	16	56	130	7.00
260	315	28	22	20	58	140	9.50
260	320	28	22	20	61	150	10.00
290	345	28	22	20	65	160	12.50
290	345	28	22	20	68	170	13.70
320	380	32	26	24	70	180	17.60
350	410	32	26	24	80	200	22.00
350	410	32	26	24	86	215	26.20
380	445	35	28	24	90	230	33.00
420	500	42	35	30	98	250	40.00
450	530	42	35	30	106	270	49.00
470	550	42	35	30	114	290	55.00

NIS
LET YOUR BUSINESS ROLL ON NIS

Website: www.nisbearings.com
Contact: enquiry@nisbearings.com

DISCLAIMER

The detailed listings and information within this catalogue have been researched and compiled from reliable sources, and are knowingly correct to the best of our knowledge.

NIS[™] does not accept any liability or responsibility for errors or omissions or damage resulting from use of any information contained in this catalogues

